



**INSPECTION REPORT**

EMORY UNIVERSITY

Customer ID: 896

Certificate: 57-R-0003

WOODRUFF HLTH SCIENCES CTR, 1440 CLIFTON RD NE  
ATLANTA, GA 30322

Site: 003

EMORY UNIVERSITY

Inspection

Type: ROUTINE INSPECTION

Date: JUL-11-2006

**2.31 ( c ) ( 7 )**

**INSTITUTIONAL ANIMAL CARE AND USE COMMITTEE (IACUC).**

(c) IACUC Functions. With respect to activities involving animals, the IACUC, as an agent of the research facility, shall:

(7) Review and approve, require modifications in (to secure approval), or withhold approval of proposed significant changes regarding the care and use of animals in ongoing activities

\*\*\*Study conducted under protocol 139-2005Y had protocol amendments submitted to IACUC on 24 May 2006. The amendment was formally approved by IACUC on 06 July 2006. The study had been conducted under the amended protocol prior to IACUC approval of the proposed study changes (23 Jun 06). Significant revisions to approved protocols must not be implemented until reviewed and approved by IACUC. To be corrected from this day forward (11 July 2006).

**2.32 ( a )**

**PERSONNEL QUALIFICATIONS.**

(a) It shall be the responsibility of the research facility to ensure that all scientists, research technicians, animal technicians, and other personnel involved in animal care, treatment, and use are qualified to perform their duties. This responsibility shall be fulfilled in part through the provision of training and instruction to those personnel.

\*\*\*Death of a macaque (PWc2) occurred due to equipment that was incorrectly assembled. Recent construction in the area and new employees are contributing factors to this incident. All personnel handling animals must be properly trained and familiar with equipment involved in conducting a study. Appropriate training and instruction must be made available prior to conducting animal activity. To be corrected from this day forward (11 July 2006).

**2.33**

**ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE.**

(b) Each research facility shall establish and maintain programs of adequate veterinary care that include:

(1) The availability of appropriate facilities, personnel, equipment, and services to comply with the provisions of this subchapter

\*\*\*Poorly labeled equipment contributed to the anesthetic death of animal PWc2. Laboratory equipment utilized in animal studies must be properly labeled and maintained. New methods of labeling pressurized gas lines have been implemented. To be corrected from this day forward (11 July 2006).

Reviewed:

- 1.) Protocols 139-2005Y, 072-2006Y, 176-2005Y, 234-2004Y, 286-2004Y
- 2.) Necropsy No. YN06-232
- 3.) Incident report involving PWc2

Prepared By: *Amy Bartholomew, DVM*  
AMY BARTHLOMEW, D V M , USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER , Inspector ID: 1051

Date:

JUL-11-2006

Received By: *Stuart Zola*  
STUART ZOLA

Title: DIRECTOR

Date:

JUL-11-2006